



**WAXITY**<sup>®</sup>  
**LUBRICANTS**

AN ISO 9001:2015 CERTIFIED COMPANY

PROTECT OUR ENGINE... SECURE OUR FUTURE...





## MISSION

To provide quality products at a price that reflects true value along with unparalleled support services by highly trained and well motivated work force meeting customer expectations and requirements.

## VISION

To be the foremost Indian Lubricant Manufacturing Company most admired for its quality products, reliable performance and best services with a perspective of global excellence. Our Mission and Vision statement consists of the following values.



## FUTURE WITH WIDE RANGE





## > PRODUCT RANGE

### > ENGINE OIL

- Two Stroke Engine oil
- Four Stroke Engine oil
- Heavy Duty Engine oil

### > HYDRAULIC OIL

- HYD - 32    • HYDRAULIC - 100
- HYD - 46    • HYDRAULIC - 150
- HYD - 68    • HYDRAULIC - 10W

### > INDUSTRIAL OIL

- Water Soluble Cutting Oil
- State Cutting Oil
- Transmission Oil
- Thermic Oil
- Quenching Oil
- Hythem 500 / 600
- Grinding Oil
- Transformer Oil
- Cnc Lubricant Way-68

### > TEXTILE OIL

- Looms oil (460/150)
- Embroidery oil
- Spindle oil (10/12)
- RO Chemical (Waterjet)
- Silicon oil
- Warping oil
- Conning Oil

### > INDUSTRIAL & AUTOMOTIVE GREASE

- High Temperature Grease
- Wheel Bearing Grease
- Semi Lithium Grease
- Chassis Grease
- Red Gel Grease
- Gel Grease
- EPL-2 Grease
- EP-0 Grease
- EP-00 Grease
- EP-000 Grease
- EP-1 Grease
- Poly Urea 100
- Poly Urea 460
- Titanium-3 (red)
- Silicon Grease
- Titanium-222 (blue)
- Titanium-333 (blue)
- AP-3 Grease
- MP-3 Grease
- EP-2 Grease
- H T Xx Grease (H.T WITH MOLY)
- Graphite Grease - 0
- Graphite Grease - 1
- Graphite Grease - 2
- Graphite Grease - 3
- Tcz-50 (lithium Grease)

### > OTHER OIL

- Brake oil
- CNG oil
- Compressor oil
- Front Fork oil
- Power Steering oil
- Coolant
- Spray type Lubricant
- Diesel Exhaust Fluid (DEF)





## > FOUR STROKE ENGINE OIL



### > FORMAL 20W-40 SAE API-SJ



- high level of wear and corrosion protection, reducing the risk of engine damage.
- It provides easier cold starts, reducing engine wear during initial startup.
- It provides a good balance of performance and value, making it a cost-effective choice for regular bike maintenance.



### > CLASS 20W-40 SAE API-SL



- It provides superior resistance to wear, oxidation, and corrosion, safeguarding critical engine components and extending their lifespan.
- maintains a stable viscosity in high temperature conditions, providing effective lubrication and minimizing friction.



### > SPARK 20W-40 SAE API-SM



- It provides exceptional resistance to wear, oxidation, and deposit formation, ensuring superior protection for critical engine components.
- High-quality lubrication, reducing friction & wear while promoting optimal performance and efficiency.



## > FOUR STROKE ENGINE OIL



### > ONE1 20W-40 SAE API-SN



- ONE1 4T is developed specification for 4-Stroke Motor Cycle oil.
- Cling and Protect Chling all Riding Condition. Flight deposits and provide superior Engine Cleanliness During Running.
- Provide Excellent Corrosion Protection Even When the Engine is off.



### > SPECIAL-X 10W-40 SAE API-SN



- It provides long engine life and protection against sludge & wear.
- helps to provide an outstanding level of performance in today's high performance motorcycles.
- Outstanding engine cleanliness, smooth and reliable operation



### > VESPA-CROOZE 10W-30 SAE API-SN



- High performance multi-grade engine oil suitable for 2 wheelers having 4 stroke petrol engines.
- Keep engines running like new by providing exceptional cleaning power, wear protection and overall performance.
- Recommended for all 4 stroke motor cycles & scooters etc.



## > FOUR STROKE ENGINE OIL



### > MASSIVEX 20W50 SAE API-SN



- Advanced Synthetic Blend formulation for performance in extreme conditions
- It provides best in class engine protection & Temperature stability in every ride situation.
- Compatibility with modern engines helping to prevent oil leaks and maintain proper sealing over time.



### > VIRTUE 15W-50 SAE API-SM/CH



- It gives Excellent lubrication and protection across a wide range of temperatures.
- It maintains its viscosity even under high heat conditions, reducing wear and tear on the engine.
- Provide smoother operation, resulting in a more comfortable driving experience.

## > MOTOR CAR ENGINE OIL



### > X10 0W-40 SAE API-SN/CI



- It helps to reduces the stress of daily wear and harsh conditions for longer engine life.
- Increases engine efficiency for advanced fuel economy.
- It Guards against extreme temperatures to prevent breakdowns.



## > MOTOR CAR ENGINE OIL



### > ROYAL 10W-30 Synthetic Blend



- Provides improved engine protection & lubrication, reducing friction and wear for extended engine life.
- Its advanced formula offers enhanced resistance to high temperatures, preventing oil breakdown and maintaining optimal engine performance in various driving conditions.
- Offering Cost-effective Performance, Improved Fuel Efficiency, And Excellent Cold-weather Starting Capabilities.



### > MAGNET 10W-40 Synthetic Blend



- Provides superior engine protection and lubrication, reducing engine friction and extending its lifespan.
- Its advanced formula ensures excellent performance in high-temperature environments, preventing oil breakdown and maintaining optimal engine efficiency.
- Reliable performance, improved fuel economy, and reliable cold-weather starting capabilities.



### > HIGHTECH 5W-30 API - SN/CI-4



- Its high-quality formulation meets specifications, ensuring compatibility with a wide range of modern and older vehicles.
- Offers exceptional engine protection and lubrication, reducing friction and minimizing wear for prolonged engine life.
- Excellent cold-start performance & fuel efficiency, Making it suitable for both cold weather & regular driving conditions.



## > MOTOR CAR ENGINE OIL



> **LUCAS  
5W-40**  
SAE API A3/B4



- Oil Provides Excellent Lubrication, Ensuring Optimal Protection For Your Engine Components.
- Maintain its protective properties even under Extreme heat conditions. It resists thinning at High temperatures, preventing engine damage.
- Provide smoother operation, resulting in a more comfortable driving experience.

## > HEAVY DUTY ENGINE OIL



> **PREMIUM  
PLUS**  
SAE API  
CF-4 / CH-4  
CI-4



- Excellent engine protection capabilities. Lubrication, reducing friction and minimizing wear on engine components.
- Provides quicker lubrication during start-up, reducing engine wear and enhancing overall performance..
- Advance Formulation reduces friction & drag within the engine provides better fuel economy.



> **FARMER  
20W-40**  
SAE API-CF



- Excellent protection for tractor engines. It forms a protective barrier between moving parts, reducing friction and minimizing wear and tear.
- Improved lubrication leads to smoother engine operation and increased efficiency.
- Oil has good low-temperature viscosity, ensuring smooth flow and easy start-up even in colder conditions.





## > HEAVY DUTY ENGINE OIL



### > MOTOFARM 20W-40 API CI-4 / SN



- Provides exceptional protection for engines, minimizing wear and extending engine life.
- Maintains optimal viscosity even under high-temperature conditions, ensuring reliable engine performance.
- Its advanced formulation contributes to improved fuel economy, resulting in cost savings over time.



### > UTTO OIL WET BRAKE UNIVERSAL TRACTOR TRANSMISSION OIL



- Specifically formulated to provide excellent performance in wet brake systems, ensuring reliable and smooth operation of tractor brakes.
- Smooth shifting of gears, ensuring efficient power transfer from the engine to the transmission, maximizing tractor performance and productivity.
- Suitable for a wide range of agricultural & construction equipment, including tractors, combines, and loaders, that feature wet brake systems.



### > VARIOUS 20W-50 API - SS/CF



- Super high performance Petrol/diesel engine oil for use in all modern low emission, turbocharged.
- Maintains viscosity and protects engine components even under high-temperature operating conditions, ensuring reliable performance in hot climates or during intense workloads.
- Offers long-lasting performance and stability, allowing for extended oil change intervals, reducing maintenance costs and inconvenience.



## > HYDRAULIC OILS & GEAR OILS



### > HYDRAULIC AW-68/46/32

- Specifically formulated to optimize the performance of hydraulic systems. Its advanced formula ensures smooth and efficient operation, reducing friction & wear.
- Preventing premature wear and tear of hydraulic system components. It safeguards against damage caused by metal-to-metal contact and extends equipment life.
- Premium quality reduces the frequency of maintenance & fluid changes, saving time and costs associated with system upkeep.



### > GEAR EP - 90 / 75W-90 85W-140 / 80W-90

- Gear oils provide excellent protection to gears & gearboxes by reducing friction and minimizing wear and tear.
- Specifically designed to offer superior lubrication properties, ensuring smooth and efficient gear operation.
- Gear oils are engineered to withstand high temperatures & maintain their performance characteristics.

## > SPACIAL PRODUCTS

- > BRAKE OIL - DOT 3/ 4/5
- > FORK OIL - (SHOCKER OIL)
- > TQ - POWER STEERING OIL
- > PUMP SET OIL - 20W-40

## > COMPRESSOR OIL - 150 / 220

- > LAL GHODA
- > X-2T
- > D E F ( DIESEL EXHAUST FLUID)
- > KHUSHBOO
- > COOLANT 1 : 4 / 1 : 9





## ➤ SPECIALIZED TEXTILE OIL

- Looms oil (460/150)
- Embroidery oil
- Spindle oil (10/12)
- RO Chemical (Waterjet)
- Silicon oil
- Warming oil
- Conning Oil



## ➤ SPECIALIZED INDUSTRIAL OIL

- Water Soluble Cutting Oil
- State Cutting Oil
- Transmission Oil
- Thermic Oil
- Quenching Oil
- Hythem 500 / 600
- Grinding Oil
- Transformer Oil
- Cnc Lubricant Way-68





## ➤ AUTOMOTIVE & INDUSTRIAL GREASE

- HIGH TEMPERATURE GREASE
- WHEEL BEARING GREASE
- SEMI LITHIUM GREASE
- CHASSIS GREASE
- RED GEL GREASE
- GEL GREASE
- EPL-2 GREASE
- EP-0 GREASE
- EP-00 GREASE
- EP-000 GREASE
- EP-1 GREASE
- POLY UREA 100
- POLY UREA 460
- TITANIUM-3 (RED)
- SILICON GREASE
- TITANIUM-222 (BLUE)
- TITANIUM-333 (BLUE)
- AP-3 GREASE
- MP-3 GREASE
- EP-2 GREASE
- H T XX GREASE  
(H.T WITH MOLY)
- GRAPHITE GREASE - 0
- GRAPHITE GREASE - 1
- GRAPHITE GREASE - 2
- GRAPHITE GREASE - 3
- TCZ-50 (LITHIUM GREASE)



Red Gel Grease



Hi-Temp. Grease



Graphite Grease



AP-3 Grease




MP-3 Grease



Chassis Grease



Titanium-2 Grease



EP-2 Grease



Titanium-3 Grease



EP-000 Grease



Wheel Bearing



Poly-Uria Grease



## > AVAILABLE PACK SIZE

### PER BOX

100ml = 90 pcs	800ml, 850 ml, 900ml,	250g = 36 pcs
175ml = 70 pcs	1 Ltr = 20 pcs	500g = 36 pcs
250ml = 70 pcs	2.5, 3, 3.5 Ltr = 6 pcs	1 kg = 18 pcs
350ml = 80 pcs	4 Ltr, 5 Ltr = 4 pcs	2 kg = 12 pcs
500ml = 25 pcs		3 kg = 4 pcs



NEW GENERATION ENGINE OILS - EXCELLENT PERFORMANCE - ADVANCE PROTECTION



## > COMPANY OFFICE - TEAM - FACTORY





# > Our Happy Customers Outside of India



Exporting to

- > Nepal
- > Cambodia
- > Bangladesh
- > Sri Lanka
- & More to go...



PROTECT OUR ENGINE... SECURE OUR FUTURE...



Plot No. 28 to 32, Shiv Bhakti Ind.,  
Village Sanki, Kadodara, Surat - 394315



+91 96247 15666  
+91 96247 19666  
+91 90232 50430



waxitylubricant@gmail.com



www.waxitylubricant.com

